

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 7/00		A1	(11) International Publication Number: WO 96/36308 (43) International Publication Date: 21 November 1996 (21.11.96)
(21) International Application Number: PCT/US96/05535 (22) International Filing Date: 23 April 1996 (23.04.96)		(81) Designated States: CA, CN, JP, MX, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(30) Priority Data: 9510229.9 20 May 1995 (20.05.95) GB		Published <i>With international search report.</i>	
(71) Applicant (for all designated States except US): THE PROCTER & GAMBLE COMPANY (US/US); One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).			
(72) Inventor; and (75) Inventor/Applicant (for US only): McDERMOTT, Padraig, Hugh [GB/GB]; 3 Lazare Court, Gresham Road, Staines, Middlesex TW18 2BY (GB).			
(74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).			
(54) Title: COSMETIC MAKE-UP COMPOSITIONS			
(57) Abstract <p>A cosmetic make-up composition suitable for use as a mascara or the like and which is in the form of an emulsion comprising an insoluble polymeric material in an aqueous emulsion; and lipophilic oil components including a polyvinylpyrrolidone hexadecane copolymer. The compositions exhibit improved wear and water resistance and are removable with soap and water.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BD	Bahamas	GR	Greece	NL	Netherlands
BZ	Belgium	HU	Hungary	NO	Norway
BT	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EZ	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

COSMETIC MAKE-UP COMPOSITIONS

Technical Field

The present invention relates to cosmetic make-up compositions, particularly eye make-ups and mascaras, comprising water-insoluble polymeric material in the form of an aqueous emulsion or latex. Said compositions have improved wear benefits compared to compositions known in the art and are easily removed with soap and water.

Background of the Invention

Eye make-up compositions, including mascara, are significant products in the cosmetics market. Mascara enhances the beauty of the wearer by coating the eye lashes, or in some instances eyebrows, with color.

In spite of their beauty enhancing characteristics, conventional eye make-up preparations have been criticized for their failure to produce the desired effects during long periods of wear. Problems such as staining and smearing, commonly referred to as smudging, and flaking of the mascara from the eyelashes are well known. Even where longevity has been improved, such compositions also are known to be difficult to completely remove from the delicate eye area. An eye makeup composition conceptually having significantly superior wear life, yet, easy removability with soap and water would be very desirable.

Eye makeup compositions comprising polymeric emulsions in order to eliminate smudging are well known in the art and typically include water-insoluble polymers, also referred to as latexes. Such compositions including eye shadows as disclosed in U.S. Patent 3,639,572, Henrich, issued February 1, 1972; and mascaras as disclosed in U.S. Patent 4,423,031, Murui et al., issued December 27, 1983; and European Patent Application (EPA) 0568035, published November 3, 1993. These compositions include plasticizers or solvents to assist in forming films using said latexes. These compositions are known to contain thickeners to adjust the viscosity of the composition. Said thickeners include water-soluble and water-swellable polymers, typically known for such use in the cosmetic art.

In a different embodiment of the above concept is disclosed in Patent Cooperation Treaty application WO 94/17775, published August 18, 1994. The invention disclosed therein includes mascara compositions comprising water-based silicone elastomeric latex, emulsions as opposed to "water-based" acrylic polymers. Longer wear and durability is attributed to the use of the elastomeric latex as it is more compatible with the rest of the compositional matrix than the acrylic polymers.

Other compositions known in the art which seek to avoid the combination of plasticizers and insoluble-polymer are exemplified in EPO 0530084, published March 3, 1993. This application discloses compositions comprising a dispersed phase and a dispersant phase, the dispersant phase containing at least one water-soluble polymer and the dispersed phase containing at least 50% wax. Said composition may contain other materials routinely used in cosmetic compositions including water-insoluble polymers.

Surprisingly, it has been found that the combination of water-insoluble polymeric materials in an aqueous emulsion and particular surfactants provides mascara and other cosmetic make-up compositions that have superior wear and are removable with soap and water. These make-up compositions can be fabricated in a multitude of forms, such as creams, pastes and solids. Preferably the compositions of the present invention are water-in-oil and oil-in-water emulsions.

Summary of the Invention

According to one aspect of the present invention there is provided a cosmetic make-up composition suitable for use as a mascara or the like and which comprises:

(a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion;


(b) from about 0.1% to about 10% by weight of a first surfactant or mixture of surfactants having a weight averaged HLB of from about 3 to about 6; and

(c) from about 0.1% to about 10% by weight of a second surfactant or mixture of surfactants having a weight averaged HLB of from about 8 to about 15.

According to a second aspect of the present invention there is provided a cosmetic make-up composition suitable for use as a mascara or the like and which comprises:

(a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion; and

(b) from about 0.1% to about 10% by weight of an alkyl- or alkoxy-dimethicone copolyol having the general formula:



wherein X is a hydrogen atom or a C₁ to C₁₆ alkyl, alkoxy or acyl radical, Y is C₈-C₂₂ alkoxy or alkyl radical, n = from about 0 to about 200, m = from about 1 to about 40, q = from about 1 to about 100, the molecular weight of the residue (C₂H₄O-)_x(C₃H₆O-)_yX being from about 250 to about 2000, x and y being selected so that the weight ratio of the oxyethylene/oxypropylene groups is from about 100:0 to about 20:80.

According to a third aspect of the present invention there is provided a cosmetic make-up composition suitable for use as a mascara or the like and which is in the form of an emulsion comprising:

(a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion; and

(b) from about 0.1% to about 80% by weight of lipophilic oil components including from about 0.1% to about 10% by weight of polyvinylpyrrolidone hexadecene copolymer.

The compositions of the invention exhibit improved wear, increased resistance to water and are easily removed with soap and water.

All percentages are by weight of composition unless otherwise indicated. All solutions are on a weight/weight concentration unless otherwise indicated.

Detailed Description of the Invention

A first essential component of the make-up composition of the present invention is an insoluble polymeric material in an aqueous emulsion. Said materials, disclosed in the art as latexes, are aqueous emulsions or dispersions of polymeric materials comprising polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof. These polymeric materials disclosed herein also include chemically modified (derivatives) of said polymeric material disclosed above. The polymerization process for making said polymeric material of the present invention is well known in the art. Such processes are disclosed in Kirk Othmer, Encyclopedia of Chemical Technology, Volume 14, "Latex Technology" 3rd Ed. 1981; incorporated herein by reference. These insoluble polymeric materials of the present invention comprise from about 0.1% to about 60%; preferably from about 2% to about 40% and most preferably from about 3% to about 30% by weight of the composition.

These insoluble polymeric materials compris polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof selected from the group consisting of aromatic vinyls, dienes, vinyl cyanides, vinyl halides, vinylidene halides, vinyl esters, olefins and their isomers, vinyl pyrrolidone, unsaturated carboxylic acids, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids, amides of unsaturated carboxylic acids, amine derivatives of unsaturated carboxylic acids, glycidyl derivatives of alkyl esters of unsaturated carboxylic acids, olefinic diamines and isomers, aromatic diamines, terephthaloyl halides, olefinic polyols and mixtures thereof.

The insoluble polymeric material preferably comprise polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof preferably selected from the group consisting of aromatic vinyls, dienes, vinyl esters, olefins and their isomers, unsaturated carboxylic acids, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids, amides of unsaturated carboxylic acids and mixtures thereof.


In highly preferred embodiments the insoluble polymeric material comprise polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof most preferably selected from the group consisting of aromatic vinyls, dienes, vinyl esters, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids and mixtures thereof.

Specific polymeric material useful in the present invention include, but are not necessarily limited to the Syntran Series (of latexes) from Interpolymer Corporation, for example Syntran 5170 and Syntran 5130 (acrylates copolymers formulated with added ammonia, propylene glycol, preservative and surfactant) and Syntran 5002 (styrene/acrylates/methacrylate copolymer formulated with added ammonia, propylene glycol, preservative and surfactant); the Primal Series (acrylic latexes) from Rohm & Hass; Appretan V (styrene/acrylic ester copolymer latexes) from Hoechst; Vinac (polyvinylacetate latex) from Air Products; UCAR latex resin 130 (polyvinylacetate latex) from Union Carbide; Rhodopas A Series (polyvinylacetate latexes) from Rhone Poulenc; Appretan MB, EM, TV (vinyl acetate / ethylene copolymer latexes) from Hoechst; 200 Series (styrene/butadiene copolymer latexes) from Dow Chemical; Rhodopas SB

Series (styrene/butadiene copolymer latexes) from Rhone Poulenc; Witcobond (polyurethane latexes) from Witco; Hycar Series (butadiene/acrylonitrile copolymer latexes) from Goodrich; Chemigum Series (butadiene/acrylonitrile copolymer latexes) from Goodyear; and Neo Cryl (styrene/acrylates/acrylonitrile copolymer latex) from ICI Resins.

The make-up compositions of the present invention also preferably comprise from about 0.1% to about 10% by weight of a first surfactant or mixture of surfactants having an average HLB of from about 3 to about 6 and from about 0.1% to about 10% by weight of a second surfactant or mixture of surfactants having an weight average HLB of from about 8 to about 15.

Preferably the first surfactant comprises an alkyl- or alkoxy-dimethicone copolyol having the general formula:




wherein X is a hydrogen atom or a C₁ to C₁₆ alkyl, alkoxy or acyl radical, Y is C₈-C₂₂ alkoxy or alkyl radical, n = from about 0 to about 200, m = from about 1 to about 40, q = from about 1 to about 100, the molecular weight of the residue (C₂H₄O)_x(C₃H₆O)_yX being from about 250 to about 2000, x and y being selected so that the weight ratio of the oxyethylene/oxypropylene groups is from about 100:0 to about 20:80. Preferably Y is C₁₆-C₂₀ alkyl. Especially preferred herein in combination with the insoluble polymer emulsion from the viewpoint of increasing resistance to water is cetyl dimethicone copolyol. Hence according to a

second aspect of the present invention there is provided a make-up composition comprising:

(a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion; and

(b) from about 0.1% to about 10% by weight of an alkyl- or alkoxy-dimethicone copolyol having the general formula:



wherein X is a hydrogen atom or a C₁ to C₁₆ alkyl, alkoxy or acyl radical, Y is C₈-C₂₂ alkoxy or alkyl radical, n = from about 0 to about 200, m = from about 1 to about 40, q = from about 1 to about 100, the molecular weight of the residue (C₂H₄O_x)(C₃H₆O_y)X being from about 250 to about 2000, x and y being selected so that the weight ratio of the oxyethylene/oxypropylene groups is from about 100:0 to about 20:80.

The second surfactant herein preferably comprises an organic base neutralized C₁₂ -C₂₄ fatty acid. A preferred organic base herein is triethanolamine. A preferred fatty acid herein is stearic acid.

Preferably the compositions herein additionally comprise from about 0.1% to about 10% of polyvinylpyrrolidone hexadecene copolymer. This copolymer is useful in combination with the insoluble polymeric material in an aqueous

emulsion and surfactants for improving water resistance and wear of the compositions. Hence according to a further aspect of the present invention there is provided a cosmetic make-up composition suitable for use as a mascara or the like and which is in the form of an emulsion comprising:

- (a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion; and
- (b) from about 0.1% to about 80% by weight of lipophilic oil components including from about 0.1% to about 10% by weight of polyvinylpyrrolidone hexadecene copolymer.

~~Optional ingredients useful in the present invention are selected based on either the various forms or attributes the composition is to have. The most preferred embodiments of the present invention are water-in-oil or oil-in-water emulsions. Some of the most common optional ingredients include oils and fats, emulsifiers, waxes, pigments and mixtures thereof.~~

A. Oils and Fats

Make-up compositions of the present invention can take the form of oil-in-water or water-in-oil emulsion compositions. These compositions are based on a combination of lipophilic materials optionally with one or more solvents. Said lipophilic materials typically comprise oils and fats generally known for use in the cosmetic art and are generally utilized herein in a level of from about 0% to about 70%, preferably from about 20% to about 60% by weight.

Oils typically used in cosmetics include those selected from the group consisting of polar oils, non-polar oils, volatile oils, non-volatile oils and mixtures thereof. These oils may be saturated or unsaturated, straight or branched chained, aliphatic or aromatic hydrocarbons. Preferred oils include non-polar volatile hydrocarbons including isodecane (such as Permethyl-99A®, available from Presperse Inc.) and the C₇-C₈ through C₁₂-C₁₅ isoparaffins (such as the Isopar® Series available from Exxon Chemicals).

Fats employed according to the invention are selected from the group consisting of fats derived from animals, vegetables, synthetically derived fats, and mixtures thereof wherein said fats have a melting point from about 55°C to about 100°C and a needle penetration, as measured according to the American standard ASTM D5, from about 3 to about 40 at 25°C. Preferably the fats selected for use in the present invention are fatty acid esters which are solids at room temperature and exhibit crystalline structure. Examples of fatty acid esters useful in the present invention include the glyceryl esters of higher fatty acids such as stearic and palmitic such as glyceryl monostearate, glyceryl distearate, glyceryl tristearate, palmitate esters of glycerol, C18-36 triglycerides, glyceryl tribehenate and mixtures thereof.

B. Waxes

Waxes are defined as lower-melting organic mixtures or compounds of high molecular weight, solid at room temperature and generally similar in composition to fats and oils except that they contain no glycerides. Some are hydrocarbons, others are esters of fatty acids and alcohols. Waxes useful in the present invention are selected from the group consisting of animal waxes, vegetable waxes, mineral waxes, various fractions of natural waxes, synthetic waxes, petroleum waxes, ethylenic polymers, hydrocarbon types such as Fischer-Tropsch waxes, silicone waxes, and mixtures thereof wherein the waxes have a melting point between 55° and 100°C and a needle penetration, as measured according to the American standard ASTM D5, of 3 to 40 at 25°C. The principle of the measurement of the needle penetration according to the standards ASTM D5 consists in measuring the depth, expressed in tenths of a millimeter, to which a standard needle (weighing 2.5 g and placed in a needle holder weighing 47.5 g, i.e. a total of 50 g) penetrates when placed on the wax for 5 seconds.

The specific waxes useful in the present invention are selected from the group consisting of beeswax, lanolin wax, shellac wax (animal waxes); carnauba, candelilla, bayberry (vegetable waxes); ozokerite, ceresin, (mineral waxes); paraffin, microcrystalline waxes (petroleum waxes); polyethylene, (ethylenic polymers); polyethylene homopolymers (Fischer-Tropsch waxes); C24-45 alkyl methicones (silicone waxes); and mixtures thereof. Most preferred are beeswax, lanolin wax, carnauba, candelilla.

ozokerite, ceresin, paraffins, microcrystalline waxes, polyethylene, C24-45 alkyl methicones, and mixtures thereof.

C. Pigments

The solids component of the make-up compositions of the present invention contain cosmetically acceptable pigments selected from the group consisting of inorganic pigments, organic pigments, and pearlescent pigments. When employed, the pigments are present in proportions depending on the color and the intensity of the color which it is intended to produce. The level of pigments in the solid portion of the composition of present invention is from about 3% to about 30%, preferably from about 5% to about 20%. Pigments are selected from the group consisting of inorganic pigments, organic lake pigments, pearlescent pigments, and mixtures thereof. Said pigments may optionally be surface-treated within the scope of the present invention but are not limited to treatments such as silicones, perfluorinated compounds, lecithin, and amino acids.

Inorganic pigments useful in the present invention include those selected from the group consisting of rutile or anatase titanium dioxide, coded in the Color Index under the reference CI 77,891; black, yellow, red and brown iron oxides, coded under references CI 77,499, 77, 492 and, 77,491; manganese violet (CI 77,742); ultramarine blue (CI 77,007); chromium oxide (CI 77,288); chromium hydrate (CI 77,289); and ferric blue (CI 77,510) and mixtures thereof.

The organic pigments and lakes useful in the present invention include those selected from the group consisting of D&C Red No. 19 (CI 45,170), D&C Red No. 9 (CI 15,585), D&C Red No. 21 (CI 45,380), D&C Orange No. 4 (CI 15,510), D&C Orange No. 5 (CI 45,370), D&C Red No. 27 (CI 45,410), D&C Red No. 13 (CI 15,630), D&C Red No. 7 (CI 15,850), D&C Red No. 6 (CI 15,850), D&C Yellow No. 5 (CI 19,140), D&C Red No. 36 (CI 12,085), D&C Orange No. 10 (CI 45,425), D&C Yellow No. 6 (CI 15,985), D&C Red No. 30 (CI 73,360), D&C Red No. 3 (CI 45,430) and the dye or lakes based on Cochineal Carmine (CI 75,570) and mixtures thereof.

The pearlescent pigments useful in the present invention include those selected from the group consisting of the white pearlescent pigments such as mica coated with titanium oxide, bismuth oxychloride, colored pearlescent pigments such as titanium mica with iron oxides, titanium mica with ferric blue.

chromium oxide and the like, titanium mica with an organic pigment of the above-mentioned type as well as those based on bismuth oxychloride and mixtures thereof.

D. Miscellaneous

In the present invention numerous optional ingredients may be added to provide additional benefits other than that attributed to the invention as defined above. For example, it is preferred that the composition of the present invention contain a preservative system to inhibit microbiological growth and maintain the integrity of the product. In the present invention, the preservative system does not have a detrimental effect on the composition.

Any optional ingredients known to those skilled in the art may also be used in the invention. Examples of optional ingredients are cosmetic fillers including, but not limited to, mica, talc, nylon, polyethylene, silica, polymethacrylate, kaolin, teflon; cosmetic preservatives including, but not limited to, methylparaben, propylparaben, butylparaben, ethylparaben, potassium sorbate, trisodium EDTA, phenoxyethanol, ethyl alcohol, diazolidinyl urea, imidazolidinyl urea, quaternium-15. Also, additives such as tall oil glycerides are easily incorporated into emulsion forms of the composition.

Water dispersible and oil dispersible clays may also be useful in the invention to thicken the water or the oil phase. The water dispersible clays comprise bentonite and hectorite, such as Bentone EW, LT from Rheox; magnesium aluminum silicate, such as Veegum from Vanderbilt Co.; attapulgite such as Attasorb or Pharamasorb from Engelhard, Inc.; laponite and montmorillonite, such as Gelwhite from ECC America; and mixtures thereof. The oil dispersible clays comprise quaternium-18 bentonite, such as Bentone 34 and 38 from Rheox; the Claytone Series from ECC America; quaternium-18 hectorite, such as Bentone gels from Rheox; and mixtures thereof.

Methods of Manufacture

The compositions of the invention can be prepared as follows.

1. Oil-in-Water Emulsion

The waxes and fats are placed in a vessel equipped with heating and mixing. The waxes and fats are heated to about 85°C with low speed mixing until liquefied and homogeneous. At 85-90°C, pigments, any oil dispersible or soluble components are added. The mixing rate is increased to high and mixed until the pigments are uniformly dispersed throughout the lipid mixture; about 30-35 minutes. The emulsifiers are added to said lipid mixture while continuing to mix.

In a second vessel equipped with mixing and heating, the water and the remainder of the water dispersible components are added. The aqueous mixture is mixed with heating until this aqueous mixture is about 85°C. Q.S. for any water loss from said aqueous mixture.

The two mixtures are slowly combined and mixed with a high speed dispersator type mixer. The heat source is removed and the mixing is continued until the temperature of said combined mixture is from about 65°C-70°C. Q.S. said combined mixture for any water loss. The preservatives and insoluble polymer component are added and mixed until homogeneous. Said combined mixture is cooled to about 45°C-47°C and any remaining components are added. Cooling and mixing is continued until said combined mixture is about 27°C to about 30°C. Said combined mixture is transferred to suitable storage containers for subsequent filling of retail size packaging.

2. Water-in-Oil Emulsions (Examples I-V)

The components of phase A are premixed for 30 minutes at room temperature with high shear. The phase A premix is then heated to 85-90°C with high shear. The wax phase B ingredients are premixed and heated to 90°C with slow stirring for one hour. The wax phase is added to the phase A premix at 90°C and mixed for 20 minutes with high shear. Cooling is commenced and the water phase ingredients are added. Mixing is continued with high shear. The mixture is cooled to 45°C and the remaining ingredients are added. QS for paraffin loss.

Examples I-V (Water-in-oil emulsions)

	I/%	II/%	III/%	IV/%	V/%
A.					
Petroleum Distillates		to 100			
Quaternium-18 Hectorite	4	3.5	4.2	4.0	3.8
Black Iron Oxide	7.5	8.5	9.0	9.5	8.6
B.					
PVP/Hexadecene Copolymer	1.7	2.5	2.2	1.9	2.0
Polybutene	1.9	2.75	2.0	2.5	1.8
Beeswax	2.8	3.5	4.4	4.0	3.0
Carnauba wax	2.5	4.4	3.5	3.3	4.0
Paraffin wax	1.5	2.2	2.0	2.5	1.8
C ₁₈ -C ₃₆ Acid triglycerides	1.5	3.0	3.3	2.5	2.8
Ethyl paraben	0.15	0.15	0.15	0.15	0.15
Methyl paraben	0.2	0.2	0.2	0.2	0.2
Propyl paraben	0.2	0.2	0.2	0.2	0.2
Zinc stearate	2.5	2.0	2.1	2.3	1.9
Cetyl dimethicone copolyol	0.5	0.6	0.3	0.5	0.8
Stearic acid	0.9	1.0	1.8	1.9	1.5
propylene glycol	1.0	1.5	1.4	1.3	0.9
propylene carbonate	1.5	1.0	1.3	1.2	1.4
	I/%	II/%	III/%	IV/%	V/%
C.					
Triethanolamine	0.4	0.5	0.25	0.3	0.5
Water	2.5	2.65	1.4	1.8	2.0

D.

Ammonium Copolymer ¹	Acrylate 9.0	12.5	10.5	12.0	10.0
------------------------------------	--------------	------	------	------	------

E.

Panthenol	0.2	0.5	0.3	0.25	0.2
Water	1.0	1.0	1.5	0.8	1.2
Quaternium-15 94%	0.05	0.08	0.07	0.08	0.07
Trisodium EDTA	0.1	0.1	0.1	0.1	0.1

F.

phenoxyethanol	0.8	1.0	0.75	1.1	0.85
----------------	-----	-----	------	-----	------

1. Syntran 5170, containing 41% by weight insoluble polymer solids, available from Interpolymer Corp.

What is claimed is:

1. A cosmetic make-up composition suitable for use as a mascara or the like and which is in the form of an emulsion comprising:

(a) from about 0.1% to about 60% by weight of insoluble polymeric material in an aqueous emulsion; and

(b) from about 0.1% to about 80% by weight of lipophilic oil components including from about 0.1% to about 10% by weight of polyvinylpyrrolidone hexadecane copolymer.

2. A composition according to Claim 1 wherein said water-insoluble polymeric material comprises polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof selected from aromatic vinyls, dienes, vinyl cyanides, vinyl halides, vinylidene halides, vinyl esters, olefins and their isomers, vinyl pyrrolidone, unsaturated carboxylic acids, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids, amides of unsaturated carboxylic acids, amine derivatives of unsaturated carboxylic acids, glycidyl derivatives of alkyl esters of unsaturated carboxylic acids, olefinic diamines and isomers, aromatic diamines, terephthaloyl halides, olefinic polyols, and mixtures thereof.

3. A composition according to Claim 1 comprising from about 2% to about 40% by weight of water-insoluble polymeric material comprising polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof selected from aromatic vinyls, dienes, vinyl esters, olefins and their isomers, unsaturated carboxylic acids, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids, amides of unsaturated carboxylic acids and mixtures thereof.

4. A composition according to Claim 1 comprising from about 3% to about 30% water-insoluble polymeric material comprising polymerized monomers, mixtures of monomers, derivatives of said monomers and mixtures of said monomers and mixtures thereof selected from aromatic vinyls, dienes, vinyl esters, alkyl esters of unsaturated carboxylic acids, hydroxy derivatives of alkyl esters of unsaturated carboxylic acids and mixtures thereof.
5. A composition according to any of Claims 1 to 4 comprising from about 2% to about 40% by weight of the insoluble polymeric material in an aqueous emulsion.
6. A composition according to any of Claims 1 to 5 wherein the composition is in the form of a water-in-oil emulsion.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/05535

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) A61K 7/00

US CL 424/70.1, 70.8, 70.11

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/70.1, 70.8, 70.11

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category ^a	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US, A, 5,041,281 (STROBRIDGE) 20 August 1991, columns 4-10.	1-4
X	US, A, 4,917,883 (STROBRIDGE) 17 April 1990, columns 1-10.	1-4

Further documents are listed in the continuation of Box C.

See patent family annex.

- Special categories of cited documents:
- “A” document defining the general state of the art which is not considered to be of particular relevance
- “E” earlier document published on or after the international filing date
- “L” document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- “O” document referring to an oral disclosure, use, exhibition or other means
- “P” document published prior to the international filing date but later than the priority date claimed
- “T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principles or theory underlying the invention
- “X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- “Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- “A” document member of the same patent family

Date of the actual completion of the international search

14 JUNE 1996

Date of mailing of the international search report

12 JUL 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

SALLY GARDNER

Telephone No. (703) 308-2351

Form PCT/ISA/210 (second sheet)(July 1992)•

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/05535

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:

2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. Claims Nos.: 5, 6 because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

The additional search fees were accompanied by the applicant's protest.
 No protest accompanied the payment of additional search fees